



STIC Search Report

EIC 2100

STIC Database Tracking Number: 220092

TO: Tammy Nguyen
Location: RN D4C76
Art Unit: 2144
Wednesday, March 28, 2007

Case Serial Number: 09/608232


From: Ruth E. Spink
Location: EIC 2100
RND-4B31
Phone: 23524

Ruth.spink@uspto.gov

Search Notes

Tammy- Attached is the foreign patent and NPL search for the above referenced case. I flagged the references that I think are the best. Be sure to contact me if you wish to refocus this search.

Ruth



STIC EIC 2100 Search Request Form

220092
139

Today's Date:

3/28/07

What date would you like to use to limit the search?

Priority Date: 6/3/00

Other:

Name TAMMY NGUYEN

AU 2144 Examiner # 79566

Room # 076 Phone 2-3929

Serial # 09/608,1232

Format for Search Results (Circle One):

PAPER DISK EMAIL

Where have you searched so far?

USP DWPI EPO JPO ACM IBM TDB

IEEE INSPEC SPI Other _____

Is this a "Fast & Focused" Search Request? (Circle One) YES NO

A "Fast & Focused" Search is completed in 2-3 hours (maximum). The search must be on a very specific topic and meet certain criteria. The criteria are posted in EIC2100 and on the EIC2100 NPL Web Page at <http://ptoweb/patents/stic/stic-tc2100.htm>.

What is the topic, novelty, motivation, utility, or other specific details defining the desired focus of this search? Please include the concepts, synonyms, keywords, acronyms, definitions, strategies, and anything else that helps to describe the topic. Please attach a copy of the abstract, background, brief summary, pertinent claims and any citations of relevant art you have found.

Is this request for a BOARD of APPEALS case? (Circle One) YES NO

Is this case a SPECIAL CASE?

(Circle One) YES NO

STIC Searcher

Ruth Spink

Phone

2-3524

Date picked up

3/28/07

Date Completed

3/28/07



STIC Search Results Feedback Form

EIC 2100

Questions about the scope or the results of the search? Contact *the EIC searcher* or contact:

Alyson Dill, EIC 2100 Team Leader
272-3527, RND 4B28

Voluntary Results Feedback Form

➤ I am an examiner in Workgroup: Example: 2133

➤ Relevant prior art **found**, search results used as follows:

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☐ Helped examiner better understand the invention.
- ☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature
(Journal articles, conference proceedings, new product announcements etc.)

➤ Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to STIC/EIC2100 RND, 4B28

| Set | Items | Description |
|-----|--------|--|
| S1 | 18409 | S VOIP OR VOICE()OVER()IP OR (INTERNET OR IP)()TELEPHONY OR SRTP OR |
| S2 | 28081 | S (SPEECH OR VOICE) () RECOGNITION |
| S3 | 251631 | S AUDIO |
| S4 | 0 | S ANOLOG()S3 |
| S5 | 211673 | S SPEECH OR VOICE |
| S6 | 18895 | S (S3 OR S5) (5N) ANALOG |
| S7 | 6451 | S ANALOG()S3 |
| S8 | 25005 | S DIGITAL()S3 |
| S9 | 1822 | S S7 (10N) S8 |
| S10 | 285063 | S (S5 OR TALK OR TALKING OR SPEAK??? OR COMMUNICATE? ? OR COMMUNICAT |
| S11 | 309655 | S S1 OR S2 OR S9 OR S10 |
| S12 | 88476 | S WEBSITE? ? OR WEBPAGE? ? OR WEB() (PAGE? ? OR SITE? ?) OR HTML |
| S13 | 508248 | S HTTP OR HYPERTEXT()TRANSFER()PROTOCOL OR PROXY |
| S14 | 21736 | S XML OR EXTENSIBLE()MARKUP()LANGUAGE |
| S15 | 534400 | S PHONE? ? OR TELEPHONE? ? OR CELLPHONE? ? OR MOBILEPHONE? ? OR SMAR |
| S16 | 310474 | S (S15 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N) (ID OR IDENTITY |
| S17 | 336140 | S (IP OR INTERNET OR NETWORK OR WWW OR WORLDWIDE()WEB OR WEBPAGE? ? |
| S18 | 19236 | S (S15 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N) S17 |
| S19 | 625 | S S11 (30N) S12 (30N) S13 (30N) S14 |
| S20 | 4 | S S19 (30N) S16 (30N) S18 |
| S21 | 4 | IDPAT (sorted in duplicate/non-duplicate order) |
| S22 | 4 | IDPAT (primary/non-duplicate records only) |

22/5K/1 (Item 1 from file: 348) [Links](#)

EUROPEAN PATENTS

(c) 2007 European Patent Office. All rights reserved.

01412549

INFORMATION ACCESSING DEVICE AND METHOD AND INFORMATION PROVIDING DEVICE AND METHOD

EINRICHTUNG UND VERFAHREN ZUM ZUGREIFEN AUF INFORMATIONEN UND

INFORMATIONSBEREITSTELLUNGSEINRICHTUNG UND -VERFAHREN

DISPOSITIF D'ACCES A DES INFORMATIONS ET PROCEDE, ET DISPOSITIF DISTRIBUTEUR

D'INFORMATIONS ET PROCEDE

Patent Assignee:

- **Kabushiki Kaisha Infocity; (2431791)**
7-5, Shibuya 2-chome, Shibuya-ku; Tokyo 150-0002; (JP)
(Applicant designated States: all)

Inventor:

- **YAMAMOTO, Isshue, Kabushiki Kaisha Infocity**
7-5, Shibuya 2-chome, Shibuya-ku; Tokyo 150-0002; (JP)

Legal Representative:

- **Goddar, Heinz J., Dr. (4231)**
FORRESTER & BOEHMERT Pettenkoferstrasse 20-22; 80336 Munchen; (DE)

| | Country | Number | Kind | Date | |
|-------------|---------|------------|------|----------|---------|
| Patent | EP | 1324609 | A1 | 20030702 | (Basic) |
| | WO | 2002011448 | | 20020207 | |
| Application | EP | 2001951929 | | 20010719 | |
| | WO | 2001JP6267 | | 20010719 | |
| Priorities | JP | 2000227883 | | 20000727 | |

Designated States:

DE; ES; FR; GB; IT; NL;

Extended Designated States:

AL; LT; LV; MK; RO; SI;

International Patent Class (V7): H04N-007/173CITED PATENTS: (WO A)

JP 11136658 A ; JP 11298879 A ; JP 2000183836 A ; JP 2000090033 A ; JP 2000187666 A ; **Abstract** EP 1324609 A1

A data provision apparatus enabling users to browse previously viewed broadcast content or related content. While viewing a television broadcast on a TV receiver, the user pushes a button labeled "Mark" on the remote controller to

clip content. As a result, a request to "clip" content including program and user identifiers is transmitted via a network to a server at a "clipping center." The program identifier is recorded under the user identifier in a user database. Subsequently, the user can browse recorded content by pushing an "Information" button on a cellular phone or the like to transmit a browsing request to the server at the clipping center. The server references program content recorded under the corresponding user identifier to generate a menu of the content that is transmitted back to the cellular phone. By selecting content in the menu displayed on the cellular phone, the user can send a transmission request to the clipping server and view the broadcast content returned in response to this request.

Abstract Word Count: 167

NOTE: 0001

NOTE: Figure number on first page: 0001

| Type | Pub. Date | Kind | Text |
|--------------|-----------|------|---|
| Application: | 20020403 | A1 | International application. (Art. 158(1)) |
| Application: | 20020403 | A1 | International application entering European phase |
| Application: | 20030702 | A1 | Published application with search report |
| Examination: | 20030702 | A1 | Date of request for examination: 20030227 |
| Change: | 20040526 | A1 | Designated contracting states changed 20040408 |
| Change: | 20061102 | A1 | Title of invention (German) changed: 20061102 |
| Change: | 20061102 | A1 | Title of invention (English) changed: 20061102 |
| Change: | 20061102 | A1 | Title of invention (French) changed: 20061102 |

Publication: English

Procedural: English

Application: Japanese

| Available Text | Language | Update | Word Count |
|---------------------------------------|-----------|--------|------------|
| CLAIMS A | (English) | 200327 | 1702 |
| SPEC A | (English) | 200327 | 4697 |
| Total Word Count (Document A) 6399 | | | |
| Total Word Count (Document B) 0 | | | |
| Total Word Count (All Documents) 6399 | | | |

Specification: ...No. HEI-10-51752, for example. When sending the time data as part of the content, the data can be sent using a tag in **XML** or a metatag in **HTML**.

Broadcast signals may be either for a television or radio broadcast and may be either digital or analog. The transmission channel can be broadcast on land, via satellite, or via cable.

An example of broadcast content is Broadcast Markup Language (BML) content. Examples of related content are **HTML** documents and data (**telephone numbers**, maps, **URLS**, etc.) describing sound and video data in the broadcast content.

Association requests can be sent using TCP/IP protocol or a normal telephone protocol. When a request is sent using TCP/IP protocol, various applications for **HTTP** or the like can be used. The **communication network** can be the **Internet**, a private IP network, or a packet network or the like provided by a company operating a **communication network**. When using a telephone, MFT (multifrequency tone) signals or the like are used as control signals. CTI (computer telephony integration) may also be used.

22/5K/2 (Item 2 from file: 348) Links

EUROPEAN PATENTS

(c) 2007 European Patent Office. All rights reserved.

01337684

A conversational portal for providing conversational browsing and multimedia broadcast on demand

Interaktives Zugangsportal zum Liefern von Interaktivem Browsen und Auf-Wunsch-Mehrfachausendung

Portail interactif de fourniture d'accès interactif à l'Internet et diffusion de multimedia à la demande

Patent Assignee:

- **International Business Machines Corporation; (200120)**
New Orchard Road; Armonk, N.Y. 10504; (US)
(Applicant designated States: all)

Inventor:

- **MAES, Stephan H. (US Resident)**
c/o IBM United Kingdom Limited Intellectual Proper; SO21 2JN, Winchester; (GB)

Legal Representative:

- **Burt, Roger James, Dr. et al (52152)**
IBM United Kingdom Limited Intellectual Property Department Hursley Park; Winchester Hampshire SO21 2JN; (GB)

| | Country | Number | Kind | Date | |
|-------------|---------|------------|------|----------|---------|
| Patent | EP | 1143679 | A2 | 20011010 | (Basic) |
| | EP | 1143679 | A3 | 20041027 | |
| Application | EP | 2001000062 | | 20010321 | |
| Priorities | US | 545078 | | 20000407 | |

Designated States:

AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;
GR; IE; IT; LI; LU; MC; NL; PT; SE; TR;

Extended Designated States:

AL; LT; LV; MK; RO; SI;

International Patent Class (V7): H04L-029/06; G06F-017/30Abstract EP 1143679 A2

A system and method for providing conversational (multi-modal) access to information over a communications network from any location, at any time, utilizing any type of client/access, through a conversational (multi-modal) portal. In one aspect, a conversational portal comprises a conversational (multi-modal) browser that is capable of conducting multi-modal dialog with client/access devices having varying input/output (I/O) modalities. The conversational browser retrieves information (such as content pages, applications) from an information source (for example, content server) in response to a request from a requesting client/access device and then serves the retrieved

information to the requesting client/access device in a format that is compatible with the I/O modalities of the requesting client/access device. In another aspect, the conversational portal provides multimedia access on demand. The conversational portal comprises an audio indexing system for segmenting and indexing audio and multimedia data obtained from an information source, as well as a multi-media database for storing the indexed audio and multi-media data. A subscribing user can compose and maintain a broadcast program wherein the user specifies which types, and in what order, different segments (news, radio, etc.) stored in the database are played back/broadcasted to the user.

Abstract Word Count: 193

NOTE: 1

NOTE: Figure number on first page: 1

| Type | Pub. Date | Kind | Text |
|----------------|-----------|------|---|
| Application: | 20011010 | A2 | Published application without search report |
| Search Report: | 20041027 | A3 | Separate publication of the search report |
| Examination: | 20050511 | A2 | Date of request for examination: 20050312 |

Publication: English

Procedural: English

Application:

| Available Text | Language | Update | Word Count |
|--|-----------|--------|------------|
| CLAIMS A | (English) | 200141 | 692 |
| SPEC A | (English) | 200141 | 10936 |
| Total Word Count (Document A) 11628 | | | |
| Total Word Count (Document B) 0 | | | |
| Total Word Count (All Documents) 11628 | | | |

Specification: ...example, wireless, PSTN, LAN, Internet) to the conversational portal 11. It is to be appreciated that the conversational portal 11 may be accessed via a **phone number** or a **URL**, independently of the modality. For instance, depending on the configuration of the client/access device 12-16, connection may be made to the conversational portal... WML (or an address that is accessible directly off a cell phone or other wireless device), an HTML browser client, a VoiceXML browser client via **VoIP** (voice over **internet** protocol), or other conversational protocols as described in the above-incorporated International Appln. Nos. PCT/US99/22927 and PCT/US99/22925. Similarly, a **phone number** can be used to provide direct access to the conversational portal 11 for all these modalities (that is, a direct phone call or ISP function... any SpeechML format (such as the recent VoiceXML standard that has been proposed as a standard for declaratively describing the conversational UI for, for example, **speech** browsers and IVR platforms (see, <http://www.voicexml.org>)).

In a preferred embodiment, the content pages and applications are multi-modal, implemented using a CML (conversational markup language). In general, CML refers...

22/5K/4 (Item 4 from file: 349) [Links](#)

PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rights reserved.

00526297

AUTOMATIC DATA COLLECTION DEVICE HAVING A NETWORK COMMUNICATIONS CAPABILITY

DISPOSITIF DE COLLECTE AUTOMATIQUE DE DONNEES COMPORTANT UNE FONCTION DE COMMUNICATION PAR RESEAU

Patent Applicant/Patent Assignee:

- **INTERMEC IP CORPORATION;**
;;

- **HUNT Jeffrey M;**
;;

- **RAMBERG Jon R;**
;;

- **SHOEMAN Paul D;**
;;

- **KATSANDRES James T;**
;;

| | Country | Number | Kind | Date |
|-------------|---------|----------|------|----------|
| Patent | WO | 9957649 | A2 | 19991111 |
| Application | WO | 99US9677 | | 19990503 |
| Priorities | US | 9884272 | | 19980504 |

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

Main International Patent Classes (Version 7):

| IPC | Level |
|-------------|-------|
| G06F-017/00 | Main |

Publication Language: English

Filing Language:

Fulltext word count: 15885

English Abstract:

The invention provides a system and method for controlling a plurality of automatic data collection (ADC) device platforms. In the invention, a remote computing system having browsing software adapted for receiving and sending Hypertext Mark-Up Language (HTML) documents, Dynamic Hypertext Mark-Up Language (DHTML) documents,

and Extensible Mark-Up Language (XML) documents over the World Wide Web communicates with a network of ADC platform devices. A Simple Network Management Protocol (SNMP) master agent at the ADC device platform communicates with the remote computing system and a Hypertext Transfer Protocol (HTTP) server sends HTML documents, DHTML documents, and XML documents to the remote computing system over the World Wide Web. A translator translates SNMP-formatted data sent to the attached ADC devices into a format suitable for reception by each ADC device. Another translator translates data received from the ADC devices into the SNMP format. The SNMP master agent communicates with the remote computing system using the TCP protocol, the UDP/IP protocol, and the UDP+ protocol. The ADC platform device may utilize a wireless communications system for communicating with the remote computing system.

French Abstract:

L'invention concerne un systeme et un procede qui permettent de commander une pluralite de plates-formes de dispositifs de collecte automatique de donnees (ADC). Selon l'invention, un systeme informatique a distance, comportant un logiciel de navigation concu pour recevoir et envoyer des documents HTML, des documents HTML dynamique (DHTML) et des documents HTML etendu (XML) par l'intermediaire du Web, communique avec un reseau de dispositifs a plate-forme ADC. Un agent maitre utilisant un protocole de gestion de reseau simple (SNMP), situe au niveau de la plate-forme du dispositif ADC, communique avec le systeme informatique a distance. Un serveur utilisant un protocole de transport hypertexte (HTTP) envoie les documents HTML, DHTML et XML au systeme informatique a distance par l'intermediaire du Web. Un traducteur traduit les donnees formatees SNMP, envoyees aux dispositifs ADC rattaches, en un format permettant leur reception par chaque dispositif ADC. Un autre traducteur traduit les donnees provenant des dispositifs ADC en format SNMP. L'agent maitre SNMP communique avec le systeme informatique a distance au moyen des protocoles TCP, UDP/IP et UDP+. Le dispositif a plate-forme ADC peut utiliser un systeme de radiocommunication pour communiquer avec le systeme informatique a distance.

Detailed Description:

...the just-started application and the remote ADC console 122 on the remote computing system 120. A number of techniques may be used for such **communications**, including sockets **network communication** messages passing between the remote ADC console 122 and the application and by the application writing information to a file that the remote console retrieves. A remote computing system 122 using a network **HTTP** server 311 follows the same scenario depicted here except that the network **HTTP** server 311 provides the appropriate unit management applet.

The system administrator selects an ADC **device** platform **URL** and sends it to the remote **HTML** browser 410. The remote **HTML** browser 410 requests the appropriate unit management applet from the **HTTP** server 230 on the selected ADC device platform 100. The ADC device platform's **HTTP** server 230 loads the unit management Java applet 430 in the **HTML** browser 410 using a unit management **HTML**, **DHTML**, and/or **XML** page 231. The system administrator then selects an application to run and forwards the application's **identifier** to the unit management Java applet 430. The unit management Java applet 430 sends the "Get" request for file names **OID** to the **SNMP** master agent 220 (step...

| Set | Items | Description |
|-----|--------|--|
| S1 | 18409 | S VOIP OR VOICE()OVER()IP OR (INTERNET OR IP)()TELEPHONY OR SRTP OR RTP OR REAL()TIME()TRANSPORT()PROTOCOL |
| S2 | 211673 | S SPEECH OR VOICE |
| S3 | 28081 | S S2 () RECOGNITION |
| S4 | 251631 | S AUDIO |
| S5 | 6451 | S ANALOG () S4 |
| S6 | 25005 | S DIGITAL () S4 |
| S7 | 1822 | S S5 (10N) S6 |
| S8 | 286194 | S (TALK OR TALKING OR SPEAK??? OR COMMUNICATE? ? OR COMMUNICATING OR COMMUNICATION? ? OR DIALOG OR CONVERSATION?? OR S2) (7N) (NETWORK? ? OR EXTRANET? ? OR INTERNET? ? OR INTRANET? ? OR WWW OR LAN OR WAN OR WLAN OR ONLINE OR ON()LINE OR WEB OR NET) |
| S9 | 310730 | S S1 OR S3 OR S7 OR S8 |
| S10 | 88476 | S WEBSITE? ? OR WEBPAGE? ? OR WEB() (PAGE? ? OR SITE? ?) OR HTML |
| S11 | 508248 | S HTTP OR HYPERTEXT()TRANSFER()PROTOCOL OR PROXY |
| S12 | 21736 | S XML OR EXTENSIBLE()MARKUP()LANGUAGE |
| S13 | 12 | S S1 (30N) S10 (30N) S11 (30N) S12 |
| S14 | 4 | S S13 NOT AY>2000 |
| S15 | 4 | IDPAT (sorted in duplicate/non-duplicate order) |
| S16 | 4 | IDPAT (primary/non-duplicate records only) |

; show files

[File 348] **EUROPEAN PATENTS 1978-2007/ 200708**

(c) 2007 European Patent Office. All rights reserved.

**File 348: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.*

[File 349] **PCT FULLTEXT 1979-2007/UB=20070322UT=20070315**

(c) 2007 WIPO/Thomson. All rights reserved.

**File 349: For important information about IPCR/8 and forthcoming changes to the IC= index, see HELP NEWSIPCR.*

[File 350] **Derwent WPIX 1963-2006/UD=200720**

(c) 2007 The Thomson Corporation. All rights reserved.

**File 350: DWPI has been enhanced to extend content and functionality of the database. For more info, visit <http://www.dialog.com/dwpi/>.*

16/5,K/1 (Item 1 from file: 350) [Links](#)

Derwent WPIX

(c) 2007 The Thomson Corporation. All rights reserved.

0014298911 *Drawing available*

WPI Acc no: 2004-485761/200446

Related WPI Acc No: 2003-147216; 2003-265606; 2003-656232; 2004-313511; 2004-591078; 2004-781947; 2005-119795; 2005-401610; 2005-494777; 2005-617185; 2005-617492; 2005-699537; 2005-710219; 2005-766217; 2006-115442; 2006-210809

XRPX Acc No: N2004-382988

Web browser execution method for Internet protocol packet switched network, involves executing hypertext markup language tag and audio operation and delivering media information to client device based on client device capabilities

Patent Assignee: CISCO TECHNOLOGY INC (CISC-N)

Inventor: DANNER R A; DODRILL L D; GEEN D W; JOSHI S; MARTIN S J

Patent Family (1 patents, 1 countries)

| Patent Number | Kind | Date | Application Number | Kind | Date | Update | Type |
|---------------|------|----------|--------------------|------|----------|--------|------|
| US 6738803 | B1 | 20040518 | US 1999152316 | P | 19990903 | 200446 | B |
| | | | US 1999459927 | A | 19991214 | | |

Priority Applications (no., kind, date): US 1999152316 P 19990903; US 1999459927 A 19991214

Patent Details

| Patent Number | Kind | Lan | Pgs | Draw | Filing Notes | |
|---------------|------|-----|-----|------|------------------------|---------------|
| US 6738803 | B1 | EN | 20 | 8 | Related to Provisional | US 1999152316 |

Alerting Abstract US B1

NOVELTY - The method involves receiving a HTML page having an HTML tag and an extensible markup language by a web browser (64). The capabilities of a client device (42a) for receiving the prescribed media information from a proxy browser are determined. The HTML tag and the audio operation are executed and the media information is delivered to the client device based on the capabilities.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- A. a computer readable medium having instructions for executing a web browser by a proxy browser according to HTTP;
- B. a processor-based device for executing audio operations based on a HTML page received from a server.

USE - Used in an Internet protocol (IP) packet switched network for executing web browser for enabling voice based web applications.

ADVANTAGE - The media information is delivered to the client device based on the capabilities of the client device, thereby providing an enhanced voice control for the voice enabled web applications.

DESCRIPTION OF DRAWINGS - The drawing shows a block diagram illustrating a novel paradigm that enables unified voice messaging services and data services to be provided through an IP network using browser audio

16/5K/2 (Item 2 from file: 348) Links

EUROPEAN PATENTS

(c) 2007 European Patent Office. All rights reserved.

01322503

Media session discovery

Mediensitzungsentdeckung

Decouverte de session media

Patent Assignee:

- **BRITISH TELECOMMUNICATIONS public limited company;** (846100)
81 Newgate Street; London EC1A 7AJ; (GB)
(Applicant designated States: all)

Inventor:

- **The designation of the inventor has not yet been filed**
;;

Legal Representative:

- **Shelley, Mark Raymond et al (87771)**
British Telecommunications plc BT Group Legal Services, Intellectual Property Department, 8th Floor, 120
Holborn; London EC1N 2TE; (GB)

| | Country | Number | Kind | Date | |
|-------------|---------|------------|------|----------|---------|
| Patent | EP | 1130871 | A1 | 20010905 | (Basic) |
| Application | EP | 2000301644 | | 20000301 | |

Designated States:

AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;
GR; IE; IT; LI; LU; MC; NL; PT; SE;

Extended Designated States:

AL; LT; LV; MK; RO; SI;

International Patent Class (V7): H04L-029/06; H04N-005/445; G06F-017/30**Abstract** EP 1130871 A1

The invention provides a method of accessing data relating to announced media sessions that are to take place over a communications network such as the Multicast Internet. The data may include scheduling, title and content information, for example. The method comprises the steps of:- i) establishing a communications channel between a user terminal and a database system (605), where the database system comprises session specific data relating to respective media sessions available over a communications network; ii) determining the identity of the user by unique identification code or otherwise (610); iii) retrieving user specific data for that user (625); iv) selecting from the media sessions, in accordance with said user specific data, at least one media session relevant to the user (630); and iv) returning session specific data identifying the relevant media session or sessions to the user terminal (635). In another aspect the invention provides a method of configuring a media session database.

control.

42a Client device

62 Proxy browser

64 Web server

66 Application server

68 Application

Title Terms /Index Terms/Additional Words: WEB; EXECUTE; METHOD; PROTOCOL; PACKET; SWITCH; NETWORK; LANGUAGE; TAG; AUDIO; OPERATE; DELIVER; MEDIUM; INFORMATION; CLIENT; DEVICE; BASED; CAPABLE

Class Codes

International Patent Classification

| IPC | Class Level | Scope | Position | Status | Version Date |
|------------------------------|-------------|-------|-----------|--------|--------------|
| G06F-015/16 | | | Main | | "Version 7" |
| G06F-015/00; G06F-015/113 | | | Secondary | | "Version 7" |

US Classification, Issued: 709218000, 709223000, 709227000, 709228000, 715500100, 715501100, 715513000

File Segment: EPI;

DWPI Class: T01; W01; W02

Manual Codes (EPI/S-X): T01-J18; T01-N01D1A; T01-N02A3B; T01-N03A1; T01-N03B2; T01-S03; W01-A03B; W01-A06F2A; W01-A06G2; W02-C06; W02-K03

Original Publication Data by Authority

Original Abstracts:

A unified web-based voice messaging system provides voice application control between a proxy browser having a **web** browser, and an application server via an hypertext transport protocol (HTTP) connection on an **Internet** Protocol (IP) network. The proxy browser serves as an HTTP interface for a **user** device that lacks HTML and HTTP processing **capabilities**, such as an analog telephone, a cellular telephone, a voice over IP telephone, **and the like**. The web browser receives an HTML page from the **application** server having an XML element that defines **data** for an audio operation to be performed by an executable audio resource within the proxy browser. The audio **resource**, also referred to as a media resource, selectively executes the HTML tags and the **audio** operation based on the determined capabilities of the user device. If the user device does not have audio capabilities, the media resource ignores the audio operation, and merely presents the HTML information, assuming the **user** device has a display. If the media resource determines that the user device has at least a speaker and possibly a microphone, the media resource... that the user device does not have a display, the HTML tag information is discarded by the media resource. Hence, a proxy browser can be **used** by user devices to access enhanced voice control for voice enabled web applications.

Abstract Word Count: 155

NOTE: 6

NOTE: Figure number on first page: 6

| Type | Pub. Date | Kind | Text |
|--------------|-----------|------|--|
| Application: | 20010905 | A1 | Published application with search report |
| Withdrawal: | 20020123 | A1 | Date application deemed withdrawn: 20010703 |

Publication: English

Procedural: English

Application: English

| Available Text | Language | Update | Word Count |
|---------------------------------------|-----------|--------|------------|
| CLAIMS A | (English) | 200136 | 468 |
| SPEC A | (English) | 200136 | 5097 |
| Total Word Count (Document A) 5565 | | | |
| Total Word Count (Document B) 0 | | | |
| Total Word Count (All Documents) 5565 | | | |

Specification: ...media stream by clicking a join now button (not shown) presented on the user interface. If the user elects to join a session a network **HTTP** connection is made to the media steam server identified in the connection field of the respective session description. The connection provides a link between the user terminal and the media stream server for the transfer of **HTML** or **XML** structured data requests. Media stream data is transferred to the user terminal using Real Time Protocol (**RTP**) over UDP, for instance.

The user may send a request to view the cached session descriptions of a different media channel type, for instance radio instead or television, by clicking the appropriate button in the main menu block. **HTML** or **XML** requests are sent to the access server by the user terminal to view the relevant session descriptions.

Although the present invention has been described with...

16/5K/3 (Item 3 from file: 348) Links

EUROPEAN PATENTS

(c) 2007 European Patent Office. All rights reserved.

01278712

Methods and systems for multi-modal browsing and implementation of a conversational markup language

Verfahren und System zur multimodalen Informationsnavigierung und Implementierung einer konversationellen Markierungssprache

Methode et systeme pour l'exploration multimodale et l'implementation d'un langage de balisage conversationelle

Patent Assignee:

- **INTERNATIONAL BUSINESS MACHINES CORPORATION;** (200123)
; Armonk, NY 10504; (US)
(Applicant designated States: all)

Inventor:

- **Maes, Stephane Herman**
1 Wintergreen Hill Road; Danbury, CT 06811; (US)
- **Raman, Thiruvilvama Lai V.**
2715 La Terrace Circle; San Jose, CA 95123-5310; (US)

Legal Representative:

- **de Pena, Alain (15151)**
Compagnie IBM France Departement de la Propriete Intellectuelle; 06610 La Gaude; (FR)

| | Country | Number | Kind | Date | |
|-------------|---------|------------|------|----------|---------|
| Patent | EP | 1100013 | A2 | 20010516 | (Basic) |
| | EP | 1100013 | A3 | 20040811 | |
| | EP | 1100013 | A3 | 20040811 | |
| Application | EP | 2000480092 | | 20001010 | |
| Priorities | US | 158777 | P | 19991012 | |

Designated States:

BE; DE; FR; GB;

Extended Designated States:

AL; LT; LV; MK; RO; SI;

International Patent Class (V7): G06F-009/44; G06F-017/30**Abstract** EP 1100013 A2

A new application programming language is provided which is based on user interaction with any device which a user is employing to access any type of information. The new language is referred to herein as a "Conversational Markup Language (CML)". In a preferred embodiment, CML is a high level XML based language for representing "dialogs" or "conversations" the user will have with any given computing device. For example, interaction may comprise, but is not limited to, visual based (text and graphical) user interaction and speech based user interaction.

Such a language allows application authors to program applications using interaction-based elements referred to herein as "conversational gestures." The present invention also provides for various embodiments of a multimodal browser capable of supporting the features of CML in accordance with various modality specific representations, e.g., HTML based graphical user interface (GUI) browser, VoiceXML based speech browser, etc.

Abstract Word Count: 146

NOTE: 3

NOTE: Figure number on first page: 3

| Type | Pub. Date | Kind | Text |
|----------------|-----------|------|--|
| Application: | 20010516 | A2 | Published application without search report |
| Change: | 20040811 | A2 | International Patent Classification changed: 20040618 |
| Search Report: | 20040811 | A3 | Separate publication of the search report |
| Change: | 20040811 | A2 | International Patent Classification changed: 20040618 |
| Search Report: | 20040811 | A3 | Separate publication of the search report |
| Examination: | 20041020 | A2 | Date of request for examination: 20040823 |
| Examination: | 20050406 | A2 | Date of dispatch of the first examination report: 20050222 |
| Change: | 20070131 | A2 | Title of invention (German) changed: 20070131 |
| Change: | 20070131 | A2 | Title of invention (English) changed: 20070131 |
| Change: | 20070131 | A2 | Title of invention (French) changed: 20070131 |

Publication: English

Procedural: English

Application: English

| Available Text | Language | Update | Word Count |
|--|-----------|--------|------------|
| CLAIMS A | (English) | 200120 | 1239 |
| SPEC A | (English) | 200120 | 18070 |
| Total Word Count (Document A) 19309 | | | |
| Total Word Count (Document B) 0 | | | |
| Total Word Count (All Documents) 19309 | | | |

Specification: ...XML content into these different legacy MLs. Eventually, today, there is more and more need for access to the Web (i.e., mostly by exchanging **HTML**), wireless network (mostly WML, but other standards exist) and telephone (mostly VoiceXML). Because multiple authoring is the only solution, the sites that offers such type... ...to offer access to any information, anywhere, at any time through any access device and let the user manipulate it. The different legacy languages (including **XML**) do not contain the necessary information to appropriately handle different parts of the page in other modalities (e.g., the grammars and other arguments for... ...solution can use today's existing infrastructure in terms of the transport protocols and network (e.g., telephony PSTN, wireless networks (voice and/or data), **voice over IP**, TCP/IP-HTTP, WAP, etc.) and legacy browsers (e.g., **HTML** browser, WML browser, VoiceXML browser etc.). If content is available in CML, it can be transcoded, on the fly, to the target legacy ML supported...

16/5K/4 (Item 4 from file: 349) [Links](#)

PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rights reserved.

00759656

AN ARCHITECTURE FOR CONTROLLING THE FLOW AND TRANSFORMATION OF MULTIMEDIA DATA

ARCHITECTURE DE COMMANDE DU FLUX ET DE LA TRANSFORMATION DE DONNEES
MULTIMEDIA

Patent Applicant/Patent Assignee:

- **QUOKKA SPORTS INC;** 525 Brannan Street, San Francisco, CA 94107
US; US(Residence); US(Nationality)

Legal Representative:

- **MALLIE Michael J(et al)(agent)**
Blakely, Sokoloff, Taylor & Zafman LLP, 7th Floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025; US;

| | Country | Number | Kind | Date |
|-------------|---------|-------------|-------|----------|
| Patent | WO | 200072574 | A2-A3 | 20001130 |
| Application | WO | 2000US13882 | | 20000517 |
| Priorities | US | 99316328 | | 19990521 |

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

[EP] AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;
GR; IE; IT; LU; MC; NL; PT; SE;

[OA] BF; BJ; CF; CG; CI; CM; GA; GN; GW; ML;
MR; NE; SN; TD; TG;

[AP] GH; GM; KE; LS; MW; SD; SL; SZ; TZ; UG;
ZW;

[EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;

Main International Patent Classes (Version 7):

| IPC | Level |
|--------------|-------|
| H04N-005/445 | Main |

Publication Language: English

Filing Language: English

Fulltext word count: 21471

English Abstract:

A method and apparatus for controlling the flow of information from the event. The method comprises receiving digital media assets (101) corresponding to remotely captured data for the event, converting the digital media assets into immersive content, and distributing the immersive content for delivery to a plurality of delivery mechanisms (105).

French Abstract:

L'invention concerne un procede et un appareil de commande du flux d'informations provenant d'un evenement. Dans un mode de realisation, le procede consiste a recevoir des elements d'un support numerique correspondant aux donnees saisies a distance provenant de l'evenement, a convertir les elements du support numerique en contenu d'immersion, puis a repartir le contenu d'immersion afin de l'envoyer a plusieurs mecanismes de fourniture.

| Type | Pub. Date | Kind | Text |
|---------------|-----------|------|--|
| Publication | 20001130 | A2 | Without international search report and to be republished upon receipt of that report. |
| Examination | 20010322 | | Request for preliminary examination prior to end of 19th month from priority date |
| Search Rpt | 20010531 | | Late publication of international search report |
| Republication | 20010531 | A3 | With international search report. |
| Search Rpt | 20010531 | | Late publication of international search report |
| Correction | 20010621 | | Corrected version of Pamphlet: |
| Republication | 20010621 | A3 | With international search report. |

Detailed Description:

...and software. Transport protocols transfer the streams and packages. In one embodiment, all assets are transported over IP, with stream delivery using Real Transfer Protocol (**RTP**) (IETF RFC 1889) on top of IP and package delivery using a File Transfer Protocol (**FTP**) (IETF RFC 959) over IP.

In one embodiment, **HTML** (**HTML 4.0** WK recommendation) and **XML** (**XML 1.0** WK recommendation) are used to organize and present non-streaming content. In the case of satellite data broadcasting, for example, there is no backchannel and, thus, no opportunity for client-server **HTTP** sessions. File-based content is, therefore, broadcast along with streams, and cached on the client. The format of the cached content is still **HTML**. Included with the client (end user) software is an **FITTP** proxy that has access to the local cache.

HTML files may contain both content and...

| Set | Items | Description |
|-----|---------|---|
| S1 | 31318 | S VOIP OR VOICE()OVER()IP OR (INTERNET OR IP)()TELEPHONY OR SRTP OR RTP OR REAL()TIME()TRANSPORT()PROTOCOL |
| S2 | 121470 | S WEBSITE? ? OR WEBPAGE? ? OR WEB() (PAGE? ? OR SITE? ?) OR HTML |
| S3 | 67543 | S HTTP OR HYPERTEXT()TRANSFER()PROTOCOL OR PROXY |
| S4 | 42773 | S XML OR EXTENSIBLE()MARKUP()LANGUAGE |
| S5 | 405669 | PHONE? ? OR TELEPHONE? ? OR CELLPHONE? ? OR MOBILEPHONE? ? OR SMARTPHONE? ? OR (CELL OR MOBILE OR SMART)()PHONE? ? OR (CELL OR CELLULAR)() (RADIO()PHONE OR RADIOPHONE? ?) FROM 8, 35, 65, 2, 94, 111, 6, 144, 434, 34, 62, 99, 95, 56, 57, 60, 266 |
| S6 | 5 | S S1 AND S2 AND S3 AND S4 |
| S7 | 0 | S S6 NOT PY>2000 |
| S8 | 34 | S S1 AND (S2 OR S3) AND S4 |
| S9 | 6816 | S (S5 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N) (ID OR IDENTITY OR IDENTITIES OR IDENTIFIER? ? OR IDENTIFICATION? ?) |
| S10 | 1578288 | S (IP OR INTERNET OR NETWORK OR WWW OR WORLDWIDE()WEB OR WEBPAGE? ? OR WEBSITE? ?) (2W)ADDRESS?? OR URL? ? OR RESOURCE()LOCATOR? ? OR DOMAIN? ? |
| S11 | 8847 | S (S5 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N)S10 |
| S12 | 63458 | S (S5 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N) NUMBER? ? |
| S13 | 3 | S S8 AND (S9 OR S10 OR S11) |
| S14 | 2 | RD (unique items) |
| S15 | 0 | S S8 NOT PY>2000 |
| S16 | 10051 | S S1 NOT PY>2000 |

; show files

[File 8] **Ei Compendex(R)** 1884-2007/Mar W3
(c) 2007 Elsevier Eng. Info. Inc. All rights reserved.

[File 35] **Dissertation Abs Online** 1861-2007/Feb
(c) 2007 ProQuest Info&Learning. All rights reserved.

[File 65] **Inside Conferences** 1993-2007/Mar 28
(c) 2007 BLDSC all rts. reserv. All rights reserved.

[File 2] **INSPEC** 1898-2007/Mar W3
(c) 2007 Institution of Electrical Engineers. All rights reserved.

[File 94] **JICST-EPlus** 1985-2007/Apr W1
(c)2007 Japan Science and Tech Corp(JST). All rights reserved.
**File 94: JICST will be removed from all vendors on March 31, 2007. Please contact the Knowledge Center for alternative files.*

[File 111] **TGG Natl.Newspaper Index(SM)** 1979-2007/Mar 23
(c) 2007 The Gale Group. All rights reserved.

[File 6] **NTIS** 1964-2007/Apr W1
(c) 2007 NTIS, Intl Cpyright All Rights Res. All rights reserved.

[File 144] **Pascal** 1973-2007/Mar W3
(c) 2007 INIST/CNRS. All rights reserved.

[File 434] **SciSearch(R) Cited Ref Sci** 1974-1989/Dec
(c) 2006 The Thomson Corp. All rights reserved.

[File 34] **SciSearch(R) Cited Ref Sci** 1990-2007/Mar W3

(c) 2007 The Thomson Corp. All rights reserved.

[File 62] **SPIN(R)** 1975-2007/Mar W2

(c) 2007 American Institute of Physics. All rights reserved.

[File 99] **Wilson Appl. Sci & Tech Abs** 1983-2007/Feb

(c) 2007 The HW Wilson Co. All rights reserved.

[File 95] **TEME-Technology & Management** 1989-2007/Mar W4

(c) 2007 FIZ TECHNIK. All rights reserved.

[File 56] **Computer and Information Systems Abstracts** 1966-2007/Mar

(c) 2007 CSA. All rights reserved.

[File 57] **Electronics & Communications Abstracts** 1966-2007/Mar

(c) 2007 CSA. All rights reserved.

[File 60] **ANTE: Abstracts in New Tech & Engineer** 1966-2007/Mar

(c) 2007 CSA. All rights reserved.

[File 266] **FEDRIP** 2007/Feb

Comp & dist by NTIS, Intl Copyright All Rights Res. All rights reserved.

NPL
FT

| Set | Items | Description |
|-----|----------|--|
| S1 | 409717 | S VOIP OR VOICE()OVER()IP OR (INTERNET OR IP)()TELEPH REAL()TIME()TRANSPORT()PROTOCOL |
| S2 | 9660924 | S WEBSITE? ? OR WEBPAGE? ? OR WEB()PAGE? ? OR SIT |
| S3 | 234714 | S XML OR EXTENSIBLE()MARKUP()LANGUAGE |
| S4 | 11430634 | S HTTP OR HYPERTEXT()TRANSFER()PROTOCOL OR PROXY |
| S5 | 76883 | S (MARK()UP OR MARKUP)()LANGUAGE? ? |
| S6 | 120 | S S1 (30N) S2 (30N) (S3 OR S5) (30N) S4 |
| S7 | 6093910 | S PHONE? ? OR TELEPHONE? ? OR CELLPHONE? ? OR MOBILEPHONE? ? OR SMARTPHONE? ? OR (CELL OR MOBILE OR SMART)()PHONE? ? OR (CELL OR CELLULAR)()RADIO()PHONE OR RADIOPHONE? ? |
| S8 | 716837 | S (S7 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N) (ID OR IDENTITY OR IDENTITIES OR IDENTIFIER? ? OR IDENTIFICATION? ? OR NUMBER? ?) |
| S9 | 1933074 | S (IP OR INTERNET OR NETWORK OR WWW OR WORLDWIDE)WEB OR WEBPAGE? ? OR WEBSITE? ?)(2W)ADDRESS?? OR URL? ? OR RESOURCE()LOCATOR? ? OR DOMAIN? ? |
| S10 | 17709 | S (S7 OR DEVICE? ? OR UNIT? ? OR RECEIVER? ?) (3N) S9 |
| S11 | 0 | S S6 (30N) S8 (30N) S10 |
| S12 | 437 | S S1 (30N) (S2 OR S4) (30N) (S3 OR S5) |
| S13 | 0 | S S12 (30N) (S8 OR S10) |
| S14 | 30 | S S6 NOT PY>2000 |
| S15 | 12 | RD (unique items) |

; show files

[File 369] **New Scientist** 1994-2007/Nov W4
(c) 2007 Reed Business Information Ltd. All rights reserved.

[File 160] **Gale Group PROMT(R)** 1972-1989
(c) 1999 The Gale Group. All rights reserved.

[File 635] **Business Dateline(R)** 1985-2007/Mar 27
(c) 2007 ProQuest Info&Learning. All rights reserved.

[File 15] **ABI/Inform(R)** 1971-2007/Mar 28
(c) 2007 ProQuest Info&Learning. All rights reserved.

[File 16] **Gale Group PROMT(R)** 1990-2007/Mar 27
(c) 2007 The Gale Group. All rights reserved.

[File 9] **Business & Industry(R)** Jul/1994-2007/Mar 27
(c) 2007 The Gale Group. All rights reserved.

[File 810] **Business Wire** 1986-1999/Feb 28
(c) 1999 Business Wire . All rights reserved.

[File 610] **Business Wire** 1999-2007/Mar 27
(c) 2007 Business Wire. All rights reserved.

**File 610: File 610 now contains data from 3/99 forward. Archive data (1986-2/99) is available in File 810.*

[File 647] **CMP Computer Fulltext** 1988-2007/Jun W2
(c) 2007 CMP Media, LLC. All rights reserved.

[File 98] **General Sci Abs** 1984-2007/Mar
(c) 2007 The HW Wilson Co. All rights reserved.

[File 148] **Gale Group Trade & Industry DB** 1976-2007/Mar 19
(c) 2007 The Gale Group. All rights reserved.

[File 634] **San Jose Mercury** Jun 1985-2007/Mar 25
(c) 2007 San Jose Mercury News. All rights reserved.

[File 275] **Gale Group Computer DB(TM)** 1983-2007/Mar 27
(c) 2007 The Gale Group. All rights reserved.

[File 47] **Gale Group Magazine DB(TM)** 1959-2007/Mar 19
(c) 2007 The Gale group. All rights reserved.

[File 75] **TGG Management Contents(R)** 86-2007/Mar W3
(c) 2007 The Gale Group. All rights reserved.

[File 636] **Gale Group Newsletter DB(TM)** 1987-2007/Mar 27
(c) 2007 The Gale Group. All rights reserved.

[File 624] **McGraw-Hill Publications** 1985-2007/Mar 28
(c) 2007 McGraw-Hill Co. Inc. All rights reserved.

**File 624: Homeland Security & Defense and 9 Platt energy journals added Please see HELP NEWS624 for more*

[File 484] **Periodical Abs Plustext** 1986-2007/Mar W3
(c) 2007 ProQuest. All rights reserved.

[File 613] **PR Newswire** 1999-2007/Mar 27
(c) 2007 PR Newswire Association Inc. All rights reserved.

**File 613: File 613 now contains data from 5/99 forward. Archive data (1987-4/99) is available in File 813.*

[File 813] **PR Newswire** 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc. All rights reserved.

[File 141] **Readers Guide** 1983-2007/Jan
(c) 2007 The HW Wilson Co. All rights reserved.

[File 370] **Science** 1996-1999/Jul W3
(c) 1999 AAAS. All rights reserved.

**File 370: This file is closed (no updates). Use File 47 for more current information.*

[File 696] **DIALOG Telecom. Newsletters** 1995-2007/Mar 28
(c) 2007 Dialog. All rights reserved.

[File 553] **Wilson Bus. Abs.** 1982-2007/Mar
(c) 2007 The HW Wilson Co. All rights reserved.

[File 621] **Gale Group New Prod. Annou.(R)** 1985-2007/Mar 27
(c) 2007 The Gale Group. All rights reserved.

[File 674] **Computer News Fulltext** 1989-2006/Sep W1

15/3,K/2 (Item 2 from file: 16) [Links](#)

Gale Group PROMT(R)

(c) 2007 The Gale Group. All rights reserved.

07193505 **Supplier Number: 61401036 (USE FORMAT 7 FOR FULLTEXT)**

Webb Interactive Services Launches Jabber, Inc.-XML Based Instant Messaging; Establishes Initial Advisory Board of Open Source Luminaries.

PR Newswire , p 9906

April 7 , 2000

Language: English Record Type: Fulltext

Document Type: Newswire ; Trade

Word Count: 913

...commercialization of a revolutionary open source, XML-based instant messaging platform. Webb's pioneering role in the integration of this innovative technology will allow the **XML** open source platform to become a foundation of advanced commerce, customer service, as well as mobile and enterprise applications.

Industry expert Jeff Pulver commented on the announcement, "This is one of the most important developments in the Instant Messaging (IM) industry. Advancing the application through open source, and applying **XML** to instant communications holds the promise of a new generation of richer and smarter uses of IM. I'm very intrigued with this new venture and will be watching it closely." Pulver is considered one of the pioneers and leaders of **Voice over IP**, and manages the industry's premier analysis and conference services dedicated to Instant Messaging.

Jabber's unique approach to the commercialization of IM through the leverage of open-source development and **XML** has attracted industry leaders to the Jabber advisory board. Included on the board is:

-- Doc Searls, senior editor of Linux Journal, co-author of The Clue Train Manifesto (<http://www.cluetrain.com>) and organizer for the "Linux for Suits" events and **website**.

-- Eric Raymond, renowned Open-Source movement advocate, board member of VA Linux, author of the seminal work, The Cathedral and the Bazaar, and founder of...

15/3,K/4 (Item 4 from file: 16) [Links](#)

Gale Group PROMT(R)

(c) 2007 The Gale Group. All rights reserved.

06665202 **Supplier Number: 55880225 (USE FORMAT 7 FOR FULLTEXT)**

Lucent Technologies Introduces The elemedia(TM) SIP Server, a Software Platform for Integrated IP Telecommunications Services.

PR Newswire , p 4537

Sept 28 , 1999

Language: English **Record Type:** Fulltext

Document Type: Newswire ; Trade

Word Count: 557

...business telephone systems and microelectronic components. Bell Labs is the research and development arm for the company. For more information on Lucent Technologies, visit the **web site** at **http** **://www.lucent.com**.

KEYWORDS: **IP telephony, VoIP, Voice**
over IP, SIP, media server, softswitch, proxy server,
redirect server, CPL, CGI, XML

15/3,K/5 (Item 5 from file: 16) Links

Gale Group PROMT(R)

(c) 2007 The Gale Group. All rights reserved.

06536800 Supplier Number: 55347007 (USE FORMAT 7 FOR FULLTEXT)

Long Distance Customer Churn Rates Rising - Report 08/02/99 >BY Steve Gold.

Newsbytes, p NA

August 2, 1999

Language: English **Record Type:** Fulltext

Document Type: Newswire ; General Trade

Word Count: 489

...of respondents plan to add digital subscriber line (DSL) to their services mix by the year 2000, while 35 percent plan to offer Internet Protocol (IP) **telephony** services.

Other services include virtual private network (VPN), dedicated Internet, asynchronous transfer mode (ATM), and frame relay.

Marne Turk, a spokesperson for the firm, told Newsbytes that the report sells for \$2,950 in its standard paper version. "There is also an **HTML** (hypertext **markup language**) version available for companies for \$9,000," she added.

Turk went on to say that interested parties can e-mail the company at atlantic@atlantic-acm.com, or visit the firm's **Web site** at **http://www.atlantic-acm.com**, to receive marketing materials, as well as a table of contents for the report.

Reported by Newsbytes.com, <http://www.newsbytes...>

15/3,K/8 (Item 1 from file: 810) Links

Business Wire

(c) 1999 Business Wire . All rights reserved.

0771294 BW1245

SIEMENS TELECOM NTWKS : Siemens and Solect Announce OEM Agreement for Integrated ISP Billing

November 11, 1997

Byline: Business Editors

...billing solution features open provisioning and data collection interfaces and a scalable rating system. It supports auto-registration and user self-management using hyper-text **mark-up**

language (HTML

) interfaces, and its modular architecture integrates with existing billing and customer care systems.

Siemens' strategy for the ISP market is to develop internally and partner...

...and applications for companies providing public telecommunications services, bringing to bear the full strength of Siemens' innovation and market know-how. This includes ISP solutions, **voice-over-IP** solutions, systems integration services, applications development, and customer and marketing support services.

Solect Technology Group, headquartered in Toronto, Canada, is a leading provider of end...

...companies and client ISPs which has ensured their products and expertise are continually refined to match the requirements of this fast-moving industry. Home page: **http://www.solect.com** .

Siemens Telecom Networks, headquartered in Boca Raton, Fla., is a leading provider of telecommunications solutions to the public network service providers in...

15/3,K/9 (Item 1 from file: 636) Links

Gale Group Newsletter DB(TM)

(c) 2007 The Gale Group. All rights reserved.

04846435 **Supplier Number: 67184814 (USE FORMAT 7 FOR FULLTEXT)**

Products.

ISP Business News , v 6 , n 46 , p NA

Nov 20 , 2000

Language: English **Record Type:** Fulltext

Document Type: Magazine/Journal ; Trade

Word Count: 310

Web site: <http://www.lucent.com>

Name of Product: VitalAccess 1.0

Type of Product: Multi-vendor provisioning software

Target Customer: Broadband IP service providers

Price: Ranges from...

....15 per subscriber

Contact: Todd Koch, 925/815-8080

Available: December

Description: VitalAccess allows broadband service providers to provision and deliver Internet access, multimedia and **voice-over-IP** services to customers.

Baltimore Technologies

Web site: <http://www.baltimore.com>

Name of Product: SelectAccess

Type of Product: **XML**-based access and authorization management software

Target Customer: Small and large businesses

Price: \$20 per user

Contact: Dan Ring, 781/684-0770

Available: ...Description: SelectAccess, born from Baltimore Technology's Nevex Software Technologies acquisition, is the first of a new suite of Web access management products designed around **XML** and LDAP.

Convergys Corporation

Web site: <http://www.convergys.com>

Name of Product: Catalys Release 5.0

Type of Product: Billing and CRM solution

Target Customer: ISPs and next-generation communications providers

15/3,K/10 (Item 2 from file: 636) Links

Gale Group Newsletter DB(TM)

(c) 2007 The Gale Group. All rights reserved.

03378830 **Supplier Number: 46950740 (USE FORMAT 7 FOR FULLTEXT)**

IBM: IBM announces new video server solutions

M2 Presswire , p N/A

Dec 6 , 1996

Language: English **Record Type:** Fulltext

Document Type: Newswire ; Trade

Word Count: 1299

...that lets them play, pause, stop and seek.

The VideoCharger runs on any RS/6000 uniprocessor supporting AIX 4.2. It uses Real Time Protocol (**RTP**) to stream audio and video data to Web-based clients. The VideoCharger can be linked with any other Web server through Uniform Resource Locators (URL) in a Hypertext **Markup**

Language (HTML) document in the **HTTP** server.

Initially, VideoCharger will provide support for Windows 95** clients using the VideoCharger Player for Windows 95, which is provided at no additional charge.

The...

15/3,K/11 (Item 1 from file: 613) Links

PR Newswire

(c) 2007 PR Newswire Association Inc. All rights reserved.

00422847 20000926LATU026 (USE FORMAT 7 FOR FULLTEXT)

Jabber.Com And Red Hat to Deliver Real-Time Messaging Infrastructure for Embedded Linux Applications

PR Newswire

Tuesday, September 26, 2000 09:30 EDT

Journal Code: PR Language: ENGLISH Record Type: FULLTEXT Document Type: NEWSWIRE

Word Count: 783

...embedded space," said Andre Durand, founder and general manager of Jabber.com. "We believe there is enormous long term growth as appliances, wireless devices and **IP telephony** applications continue to adopt the embedded Linux platform."

Jabber is the only open source, **XML**-based platform for extensible instant messaging applications. Open source means the source code may be freely shared and improved upon as long as it is returned to those who developed it.

XML is an **extensible markup language** similar to **HTML**, the language used for producing most **Web pages**. Unlike **HTML**, however, **XML** is much more structured, flexible and functional in a business environment as it has the inherent ability to define the data it contains, in addition...

...e-mail network.

In recent weeks, Jabber momentum has attracted some of the best technical and open source luminaries, experts and analysts in the world (<http://www.jabber.com/about/team.shtml>).

About Jabber.com

Jabber.com, Inc. (<http://www.jabber.com>), a subsidiary of Webb Interactive Services (Nasdaq: WEBB), is...

15/3,K/12 (Item 1 from file: 696) [Links](#)

DIALOG Telecom. Newsletters

(c) 2007 Dialog. All rights reserved.

00671267

IETF SUBMITS DRAFT CPL STANDARD TO ITU-T SG16

COMMUNICATIONS STANDARDS NEWS

May 17, 1999 **Document Type:** NEWSLETTER

Publisher: PHILLIPS BUSINESS INFORMATION

Language: ENGLISH **Word Count:** 1537 **Record Type:** FULLTEXT

(c) PHILLIPS PUBLISHING INTERNATIONAL All Rts. Reserv.

Text:

...first two tags (two lines) of the following CPL script are simply a statement that this is a CPL Document Type Declaration and encoded in **XML** version 1.0. The remainder conveys the actions required:

```
<?xml version="1.0" ?>
<!DOCTYPE call SYSTEM "cpl.dtd">
<call>
  <string-switch field="from">
    <string matches="*@example.com">
      <location url="sip:jones@example.com">
        <proxy>
          <busy> <link ref="voicemail" /> </busy>
          <noanswer> <link ref="voicemail" /> </noanswer>
          <failure> <link ref="voicemail" /> </failure>
        </proxy>
      </location>
    </string>
    <otherwise>
      <location url="sip:
jones@voicemail.example.com" merge="clear" id="voicemail">
        <redirect />
      </location>
    </otherwise>
  </string-switch>
</call>
```

Implementations of the CPL are expected to take place both in **Internet telephony** servers and in advanced clients; both can usefully process and direct users' calls. In the former case, a mechanism will be needed to transport scripts...

...does not describe such a mechanism, but future related documents will cover this deficiency.

Copies of the CPL drafts can be obtained from the IETF **website** at: www.ietf.org